	<b>SAFETY INFORMATION</b> According to 1907/2006/CE (REACH), 453/2010/EC	Revision: 01-06-2018
	<b>FLOCK POLYAMIDE 6.6</b>	Page: 1 de 8

## **SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY OR UNDERTAKING**


- 1.1 Product identifier:** FLOCK POLYAMIDE 6.6
- 1.2 Relevant identified uses of the substance or mixture and uses advised again:**  
 Specific use (s): Electrostatic, pneumatic and/or mechanical flocking.
- 1.3 Details of the supplier of the safety information sheet:**  
 Company Velutex Flock, S.A.  
 Avinguda Sant Julià 129-131 (Polígon Congost)  
 08403 Granollers  
 Barcelona (Spain)  
 Tel: (34) 93 861 70 20  
 Fax: (34) 93 840 13 95  
 e-mail: [s.termes@velutex.com](mailto:s.termes@velutex.com)
- 1.4 Emergency telephone:** (34) 93 861 70 20

## **SECTION 2: HAZARDS IDENTIFICATION**

- 2.1 Classification of the substance or mixture**
- Classification REGULATION (EC) n° 1272/2008**  
 Not a hazardous substance or mixture according to regulation (EC) n° 1272/2008.
- Classification (67/548/ECC, 1999/45/EC)**  
 Not a hazardous substance or mixture according to EC-directives 67/548/EEC or 1999/46/EC.
- 2.2 Label elements**
- Regulation (EC) n° 1272/2008**  
 Not a hazardous substance or mixture according to regulation (EC) n° 1272/2008.
- 2.3 Other hazards which do not result in classification**  
 Cut fibres (flock) / air mixtures may be explosive within a concentration limits in sufficiently high ignition energies (class ST 1).
- The molten product can cause serious burns.

## **SECTION 3: COMPOSITON / INFORMTION ON INGREDIENTS**

- 3.1 Substance**  
 Not applicable, this product is a mixture.
- 3.2 Mixture**  
 Chemical nature: Product based on polyamide 6.6 (CAS Nr: 32131-17-2).  
 Contains: process additives.
- Remarks: No dangerous ingredients according to Regulation (EC) n°1907/2006.

	<b>SAFETY INFORMATION</b> According to 1907/2006/CE (REACH), 453/2010/EC	Revision: 01-06-2018
	<b>FLOCK POLYAMIDE 6.6</b>	Page: 2 de 8

#### **SECTION 4: FIRST AID MEASURES**

##### **4.1 Description of first aid measures**

If inhaled:	Not applicable.
Skin contact:	Wash off with soap and water.
Eye contact:	In case of eye contact rinse with water.
Ingestion:	Do NOT induce vomiting. Rinse mouth with water.

##### **4.2 Most important symptoms and effects, both acute and delayed**

No data available.

##### **4.3 Identification of any immediate medical attention and special treatment needed**

No data available.

#### **SECTION 5: FIRE FIGHTING MEASURES**

Flash point:	> 400°C (closed cup).
Auto-ignition temperature:	> 450°C.
Flammability/Explosive limit:	No data available.
<b>5.1 Extinguishing media</b>	
Suitable extinguishing media:	All usual extinguishing agents.
Unsuitable extinguishing media:	Water in the presence of uninterrupted electrical installations.
<b>5.2 Special hazards arising from the substance or mixture</b>	
Harmful or toxic vapours are released:	
Nitrogen oxides (NO <sub>x</sub> ).	
Carbon oxides.	
Hydrogen cyanide (hydrocyanic acid).	
Combustible product, melts or heating.	
Risk of the fire spreading due to the flow of liquid which is already alight.	
<b>5.3 Advice for firefighters</b>	
Special protective equipment for firefighters:	Self-contained breathing apparatus (EN 133).
Specific fire fighting methods:	Cool the molten product.

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

##### **6.1 Personal precautions, protective equipment and emergency procedures**

No data available.

##### **6.2 Environmental precautions**

No harmful effect to the environment is known or expected under normal conditions of use.

**6.3 Methods and materials for containment and cleaning up**

Remove it using a vacuum cleaner and/or a shovel or sweep it up and transfer to properly labelled container.

**SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling**

- Avoid accumulation of product in the air.
- Avoid accumulation of product by regular cleaning.
- Take precaution measures against static discharges.
- Avoid sparks.
- Handle in accordance with good industrial hygiene and safety practice.

**7.2 Conditions for safe storage, including any incompatibilities**

**Storage conditions**

Recommended: Keep away from open flames, hot surfaces and ignition sources.  
Protect the flock against moisture.

Incompatible products: Oxidizer materials.

**Packaging measures**

Packaging conditions: Product conditioned within adapted and recyclable packing wooden pallets, carton box with polyethylene bag or polypropylene bag.

Storage temperature: Protect the flock from extreme weather conditions.  
In case of low temperatures (< 5 °C) we suggest to expose the flock at 20-22°C of temperature and a 50-60% of relative humidity for 2 hours (at least), before using it in the flocking machine.

**7.3 Specific end uses**


To work in a safety way, users of flock in electrostatic installation may pay attention to German norms BGI 764 (ZH 1/169) and European regulations EN 50223 and EN 50050.

**SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION**

**8.1 Control parameters**

Components with workplace control parameters for the Flock raw white ECRU and COLOURED Flock

Components	Value type	Value	Basis
Titanium dioxide	VLA-ED	10 mg/m <sup>3</sup>	Workplace exposure limits for chemicals agents – Table 1: Environment workplace exposure limits

	<b>SAFETY INFORMATION</b> According to 1907/2006/CE (REACH), 453/2010/EC	Revision: 01-06-2018
	<b>FLOCK POLYAMIDE 6.6</b>	Page: 4 de 8

Derived no effect level (DNEL) / Minimal effect level derived (DMEL) for ECRU and COLOURED Flock

Product name	Population	Exposure via	Potential health effects	Value type	Value	Observations
Titanium dioxide	Workers	Inhalation	Chronic effects Systemic effects		10 mg/m <sup>3</sup>	

Components with workplace control parameters for the SPUNDYED Flock

Components	Value type	Value	Basis
Carbon black	VLA-ED	3,5 mg/m <sup>3</sup>	Workplace exposure limits for chemicals agents – Table 1: Environment workplace exposure limits
Titanium dioxide	VLA-ED	10 mg/m <sup>3</sup>	Workplace exposure limits for chemicals agents – Table 1: Environment workplace exposure limits

The titanium dioxide and carbon black are encapsulated in the polymer. They are not extracted or released in normal processing and handle.

## 8.2 Exposure controls

Engineering measures:

Apply technical measures to comply with the occupational exposure limits.  
 Avoid fibre fly by aspiration and ventilation.  
 Pick up the flock on place.

### Personal protective equipment

Respiratory protection:

In case of liberation of fibres or dust:  
 Respirators with a particle filter (EN 143).

Eye protection:

Safety glasses with side shields.

Hygienic measures:

Handle in accordance with good industrial hygiene and safety practice.

### Environmental exposure controls

General advice:

No harmful effect to the environment is known or expected under normal conditions of use.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance:

Shape: loose textile fibres  
 Physical state: solid  
 Colour: raw white and coloured

Odour:	Odourless.
Odour threshold:	No data available.
pH:	Not applicable.
Melting point/range:	250-260°C
Flash point:	> 400°C (closed cup).
Evaporation rate (Butyl acetate = 1):	No data available.
Flammability (solid, gas):	No data available.
Auto-ignition temperature:	> 450°C.
Vapour pressure:	No data available.
Vapour density:	No data available.
Density (20°C):	1,14 g/cm <sup>3</sup> .
Solubility:	Insoluble. Solubility in other solvents Common organic solvents: practically insoluble.
Partition coefficient n-octanol/water:	No data available.
Thermal decomposition:	> 350°C
Explosive properties:	No data available.
Oxidizer properties:	Non oxidizing material according to EC criteria.

**9.2 Other information**

No data available.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

No dangerous reaction known in compliance of technical storage instructions. See point 7.

**10.2 Chemical stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

Under specified conditions no hazardous reactions are expected. See point 7.

**10.4 Conditions to avoid**No dangerous reaction known under conditions of normal use.  
See point 7.

**10.5 Incompatible material**  
Oxidizing agents.

**10.6 Hazardous decomposition products**  
Decompositions products: On combustion or thermal decomposition (pyrolysis) releases:  
Toxic gas  
Nitrogen oxides (NO<sub>x</sub>).  
Carbon oxides (CO + CO<sub>2</sub>).  
Hydrogen cyanide (hydrocyanic acid).

## **SECTION 11: TOXICOLOGICAL INFORMATION.**

### **Acute toxicity**

Acute oral toxicity: Not classified as harmful if swallowed according to the classification criteria for mixtures.

Acute inhalation toxicity : No data available.

Acute dermal toxicity: No data available.

Acute toxicity (other routes of administration): No data available.

### **Skin corrosion / irritation**

Skin irritation: Not classified as irritant to skin according to the classification for mixtures.

### **Serious eye damage / eye irritation**

Eye irritation: Not classified as irritant to eye according to the classification for mixtures.  
It can cause mechanical irritation.

### **Respiratory or skin sensitization**

Sensitization: not classified as irritant to skin according to the classification for mixtures.

### **Mutagenicity**

Genotoxicity in vitro: No data available.

Genotoxicity in vivo: No data available.

### **Carcinogenicity**

Carcinogenicity : No data available.

### **Toxicity for reproduction and development**

Toxicity in reproduction/fertility: No data available.

Development toxicity teratogenicity: No data available.


### **STOT**

STOT – single exposure: No data available.

STOT – repeated exposure: No data available.

### **Aspiration toxicity**

Aspiration toxicity: No data available.

	<b>SAFETY INFORMATION</b> According to 1907/2006/CE (REACH), 453/2010/EC	Revision: 01-06-2018
	<b>FLOCK POLYAMIDE 6.6</b>	Page: 7 de 8

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

#### **Aquatic compartment (including sediment)**

Acute toxicity to fish: No data available.

Acute toxicity to daphnia and other Invertebrates: No data available.

Toxicity to aquatic plants: No data available.

Toxicity to microorganisms: No data available.

#### **Terrestrial environment**

Toxicity to soil dwelling organisms: No data available.

Toxicity to terrestrial plants: No data available.

#### **Ecotoxicity assessment**

Acute aquatic toxicity: Due to its physical state, the product does not have any known adverse effects on the aquatic organisms tested .

### **12.2 Persistence and degradability**

Biodegradability: Ultimate aerobic biodegradability not biodegradable.

### **12.3 Bioaccumulative potential**

Bioaccumulative factor (BCF): Not bioaccumulable.

### **12.4 Mobility in soil**

Known distribution to environmental Compartments: Ultimate destination of the product: Soil.  
Ultimate destination of the product: Sediment.

### **12.5 Results of PBT and vPvB assessment**

No data available.

### **12.6 Other adverse effects**

Environment assessment: Not classified due to lack of data.

## **SECTION 13: DISPOSAL CONSIDERATIONS**


### **13.1 Waste treatment methods**

#### **Product disposal**

Advice on disposal: Recycle the material as far as possible.  
If recycle is not practicable, dispose of it in compliance with local regulation.

#### **Advice on cleaning and disposal of packaging**

Other data: Dispose of it in accordance with local regulation.

	<b>SAFETY INFORMATION</b> According to 1907/2006/CE (REACH), 453/2010/EC	Revision: 01-06-2018
	<b>FLOCK POLYAMIDE 6.6</b>	Page: 8 de 8

#### **SECTION 14: TRANSPORTATION INFORMATION**

ADR (road):	Not regulated.
RID (railway):	Not regulated.
IMDG (sea transport):	Not regulated.
IATA (air transport):	Not regulated.
ADN/ADNR (fluvial transport):	Not regulated.

#### **SECTION 15: REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 According to our knowledge there is no specific regulatory information.
- 15.2 Chemical safety assessment**  
 No data available.

#### **SECTION 16: OTHER INFORMATION**

- 16.1 Recommended application:**  
 To recover different types of surfaces (plastic, rubber, textile, non-woven, paper, wood, metal, ceramic, glass..) with electrostatic, pneumatic and/or mechanical flocking.  
 To be mixed with different materials (rubber, plastic, paper, concrete,...).
- 16.2 Special use**  
 Consult your supplier if material is not to be used for specific applications such as in the food industry for hygiene, medical or surgical end-use.  
 Do not use in medical applications involving permanent implantation in the human body.
- 16.3 Scope**  
 This safety information refers only to the flock product described herein and not to its use in conjunction with any other substance or in another preparation or product or any other process.

The information provided herein are based in our actually knowledge. Such information is only given as guidance to help the user handle, use, process, store, transport, disposal and release the product in satisfactory safety conditions. However, it is not a guarantee or the properties of the product and any legal warranty is generated.

This document is NOT a Safety Data Sheet  
 Its purpose is to provide safety information on products not subject to regulation on  
 dangerous substances and preparations